


The Siedle Video Set

Put your old bell wire to good use



When not only modern door communication but also the need for additional security and convenience are what is called for in the modern home, then the Siedle Video Set is the right answer for you.

And it makes the perfect prestigious calling card for your home: The silver metallic version of the indoor and outdoor station is in perfect harmony with the unique styling concept, creating a striking, contemporary accent in the entryway.

And if you have so far only used a bell and door release system, far from being a drawback, this is the only requirement you need permit

you to call, speak, see and open the door with the Siedle Video Set.

The video door station and the telephone monitor combination are connected and surface mounted in no time.

The monochrome camera and the video door station can be mechanically adjusted and adapted to suit your entryway area. Thanks to infrared lighting, it produces crystal-clear, focussed pictures - by day or night. The call button and name plate are permanently illuminated.


The 4 inch monitor supplies a portrait of your visitor or a

monitoring image for entryway monitoring; by image actuation from the in-house station. Call silencing, actuation of the external light and door release operation complete the function package.


The Video Set naturally includes a power supply unit.

Being able to see who is in front of the door before you pick up the receiver means added security and convenience; after all, not everyone who comes calling is a welcome visitor.

The Siedle video set for the one family home Installation principle and accessories



*Video-Set VSS 711-0
The complete application for the
detached family home.*



*Video-Set VSS 711-0 extended by a
second internal video station (in-house
telephone/monitor combination)
VIS 711-0.
An additional video extension box
VEB 711-0 and a second line rectifier
VSNG 711-0 are required for connection.
Functional characteristics:
Parallel operation of the in-house
telephone/monitor combination, i.e. a
door call with picture connection is
transmitted to both in-house
telephone/monitor combinations. The call
is accepted by lifting the receiver.*

There has never been such a good opportunity to move on from the old push-button bell to new and better things. The video set makes use of existing wires to operate modern video technology. No need to chase out channels, no noise, no dirt and no additional costs. Thanks to non-interchangeable 2-wire technology and trouble-free surface mounting, the entire set can be installed in just a few hours.



VSS 711-0
Low-profile surface-mounted video set for the one family home. Complete with compact video door station in silver metallic, in-house telephone/monitor combination in silver metallic, and a system line rectifier with 3 m low-voltage connecting cable for plug-in connection at the monitor and 2 m long mains cable with Euro plug:
Dimensions:
Door station 85 x 290 x 35 mm
Internal station 216 x 225 x 60 mm

VEB 711-0
Video extension box for the connection of a second in-house telephone/monitor combination to the video set VSS 711-0.
Dimensions: 80 x 80 x 52 mm

VSNG 711-0
Video power supply unit to supply a second in-house telephone/monitor combination VIS 711-0 in conjunction with extension of the VSS 711-0.
Primary 230 V AC/ 50 Hz
Secondary 31-33 V / DC, 1A
Dimensions: 80 x 123 x 66 mm



For Siedle video set extension

VIS 711-0
Internal video station (in-house telephone/monitor combination) for surface mounting to extend the video set VSS 711-0.

The video extension box VEB 711-0 and the video line rectifier VSNG 711-0 are required for extension using the VIS 711-0.
Dimensions: 216 x 255 x 60 mm

